



# SEBO

## BS 36 & 46

twin motor uprights



# built for professionals



SEBO BS36 and 46 twin motor upright vacuum cleaners have been developed to give excellent performance, outstanding reliability and easy maintenance.

Their ability to clean when flat and their low profile 'L' shape cleaning heads enable the BS vacuum cleaners to reach under furniture and clean right up to skirting boards.

Their low weight and wide cleaning heads make it easy to clean large areas quickly and without fatigue.

With powerful suction and brush action the BS36 and 46 can lift carpet pile and remove deeply embedded dirt and grit that lesser machines leave behind.

Electronic guidance for brush height ensures optimum cleaning results and longer brush life.

## Quality Construction

The SEBO BS 36 & 46 are built to last using the best materials and design. Professionals need a dependable, rugged machine.

## Advanced Design

The SEBO BS 36 & 46 are purpose built for commercial use. Professionals need a machine which is versatile, simple to maintain and comfortable in sustained operation.

## Tough on Dirt

The SEBO BS 36 & 46 are built to work effectively. Professionals need a machine which will clean thoroughly, day after day.

## High Filtration as Standard

SEBO 3-layer bags are the best available for airflow, strength and filtration. A Hospital Grade Filter and a cloth bag are also available.





## User Friendly

The comfortable handle grip, low handle weight, and easy movement enable long periods of fatigue free use.

The flat-to-floor design and telescopic tube system give all round cleaning versatility.

The 14" (BS 36) and 18" (BS 46) cleaning widths provide fast cleaning of large areas.

## Ultra Clean

The non-slip toothed belt and electronic height control guidance ensure superior carpet cleaning results.

3-layer sealable bags, multi-stage filtration (optional Hospital Grade Filter) and low noise in operation (68dB), minimise environmental pollution.

## Service friendly

Changeable brush strips, low cost bags and filters, modular construction and reasonably priced, readily available parts make the BS 36 and 46 easy and economical to maintain.

## Design Quality

Electronic overload protection protects the belt and brush motor. The belt is fully enclosed so that it is sealed from dirt. A by-pass valve protects the suction motor. A security system ensures that a bag and motor filter are fitted before the machines can be used.

Combined with the use of the highest quality components and materials, these features ensure the the BS 36 and 46 offer **a long and trouble free operating life.**

## Optional extras

### Attachment Clamp

Use to fit an appropriate attachment to the machine. Two can be used.



### Crevice Nozzle

Reaches into narrow spaces.



### Special Upholstery Nozzle

For upholstery and stair cleaning.



### Dusting Brush

Has long soft bristles for effective dusting of grooves, etc without causing damage to delicate surfaces\*.



### 490mm Straight Tube

Gives greater reach, for example, to high ceilings.



### Flexible Extension Hose

For extra reach, e.g. stair cleaning.



### Stair & Upholstery Turbo Brush

Air driven rotating brush for small or awkward areas. Lifts carpet pile. Gives superior fibre/hair pick up.



### Radiator Brush

Fits onto the end of the crevice nozzle. For dusting/cleaning into narrow spaces.



### Floor and Wall Brush

For hard floors which are either too rough or too delicate for an upright and for rapid dusting of textured walls/ceilings.



### Cloth Bag

A re-usable cloth bag is available. We recommend that it is used in conjunction with the Hospital Grade Filter.



### Hospital Grade Filter

Large surface area electrostatic filter - upgrades filtration and provides greater motor protection.



### SEBO Fresh - Air fresheners

Perfumed capsules emit a pleasant aroma as you vacuum.



Technical Details	SEBO BS 36	SEBO BS 46
Vacuum motor	1300 Watts max.	1300 Watts max.
Dust bag	5 litres, 3-layer	5 litres, 3-layer
Brush motor	150 Watt	200 Watt
Brush drive	non slip drive belt with electronic overload protector	
Brush strip	replaceable	replaceable
Height	1250 mm	1250 mm
Width	360 mm	460 mm
Weight	8 kg	9 kg
Protection	double insulated	double insulated